



The Will Will Web (<https://blog.miniasp.com/>)

記載著 Will 在網路世界的學習心得與技術分享

- (<https://www.facebook.com/will.fans>)
- (https://twitter.com/Will_Huang)
- (<https://www.plurk.com/willh>)
- (<https://www.weibo.com/cnwill>)
- (<https://feeds.feedburner.com/TheWillWillWeb>)

← 如何在頁面中直接使用資料繫結運算式語法 `<%# ... %>` (/post/2008/03/10/How-to-use-Data-Binding-Expression-Syntax-in-Page)
 介紹好用工具：簡報計時器(Presentation Timer) → (/post/2008/03/08/Useful-tools-Presto-Presentation-Timer)

在 HttpHandler 中使用 Session 的注意事項 (/post/2008/03/09/Using-contextSession-object-in-HttpHandler)

2008/03/10 00:01 Will 保哥 (<https://blog.miniasp.com/author/will>) ASP.NET (/category/ASPNET), C# (/category/C)

分享

讚 分享 成為朋友中第一個說這個讚的人。



(http://bit.ly/duotify_services)

在寫 HttpHandler 或 Generic Handler 的時候，如果要使用 Session 物件的話，在 Visual Studio 中你可以很輕易的透過 Intellisense 使用 context.Session 取得 Session 物件，但是你會發現這個物件會傳的值永遠都是 null，所以你是無法取得或設定 Session 資料的，如果要在 HttpHandler 中使用 Session 的話，其 HttpHandler 的類別一定要繼承 System.Web.SessionState.IRequiresSessionState 介面（讓 context.Session 可讀可寫）或 System.Web.SessionState.IReadOnlySessionState 介面（讓 context.Session 唯讀），繼承這個介面不需要實做任何方法(Methods)，只要單純的將介面繼承上去即可。

底下是範例程式片段：

```
[code:c#]
using System.Web;
using System.Web.SessionState;

public class TestHandler : IHttpHandler, IRequiresSessionState
{
    #region IHttpHandler Members
```

```
bool IHttpHandler.IsReusable
{
    get { return false; }
}
```



```
void IHttpHandler.ProcessRequest(HttpContext context)
{
    context.Response.ContentType = "text/plain";
    context.Response.Write(context.Session["Email"]);
}
#endregion
}
[/code]
```

因為使用 Session 對主機來說多少會造成一些小負擔，所以如果你的 HttpHandler 不需要寫入 Session 的話，建議你只要繼承 System.Web.SessionState.IReadOnlySessionState 介面就好，使用這個介面就只能對 Session 進行「唯讀」處理。

標籤：[asp.net](https://blog.miniasp.com/?tag=asp.net) (<https://blog.miniasp.com/?tag=asp.net>), [httphandler](https://blog.miniasp.com/?tag=httphandler) (<https://blog.miniasp.com/?tag=httphandler>), [session](https://blog.miniasp.com/?tag=session) (<https://blog.miniasp.com/?tag=session>)

相關文章

[在 HttpHandler 中使用 Session 的注意事項 \(/post/2008/03/09/Using-contextSession-object-in-HttpHandler\)](#)

在寫 HttpHandler 或 Generic Handler 的時候，如果要使用 Session 物件的話，在 Visual Studio 中你可以很輕易的透過 Intellisense 使用 c...

[如何讓 IIS6 / IIS7 中同站台不同應用程式間共用 Session 資料 \(/post/2010/01/24/How-to-Share-Session-Across-Applications-in-a-Site\)](#)

在 Web Farm 環境下部署網站需要關注的細節可不少，在部署大型網站的時候 IIS 這部分到底要算 IT 的領域還是開發人員(Developer)的領域其實分不太清楚，像要在「同一個站台」區分...

[在 Global.asax 中如何檢查 Session 是否啟用 \(/post/2008/12/05/How-to-check-ASPNET-Session-is-available-in-Global-asax\)](#)

我們開發網站的時候，一般都會在 Global.asax 中的 Application_Error 事件擷取整個網站應用程式(Web Application)未經處理的例外事件(Unhandled Ex...

Important Update

When you log in with Disqus, we process personal data to facilitate your authentication and posting of comments. We also store the comments you post and those comments are immediately viewable and searchable by anyone around the world.

Please access our Privacy Policy to learn what personal data Disqus collects and your choices about how it is used. All users of our service are also subject to our Terms of Service.

Proceed

工商服務 (廣告)



搜尋...

搜尋

每月文章

2021

[二月 \(/2021/02/default\)](#) (1)

2020

2019

2018

2017

2016

2015

2014

2013

2012

2011

2010

2009

2008

2007

文章分類

[\(/category/feed/Net\)](#) .Net (202) [\(/category/Net\)](#)

[\(/category/feed/NET-Core\)](#) .NET Core (29) [\(/category/NET-Core\)](#)

[\(/category/feed/Accessibility\)](#) Accessibility (3) [\(/category/Accessibility\)](#)

[\(/category/feed/Angular\)](#) Angular (19) [\(/category/Angular\)](#)

[\(/category/feed/AngularJS\)](#) AngularJS (11) [\(/category/AngularJS\)](#)

[\(/category/feed/ASPNET\)](#) ASP.NET (219) [\(/category/ASPNET\)](#)

[\(/category/feed/ASPNET-5\)](#) ASP.NET 5 (3) [\(/category/ASPNET-5\)](#)

[\(/category/feed/ASPNET-Blazor\)](#) ASP.NET Blazor (1) [\(/category/ASPNET-Blazor\)](#)

[\(/category/feed/ASPNET-Core\)](#) ASP.NET Core (13) [\(/category/ASPNET-Core\)](#)

[\(/category/feed/ASPNET-Identity\)](#) ASP.NET Identity (2) [\(/category/ASPNET-Identity\)](#)

[\(/category/feed/ASPNET-MVC\)](#) ASP.NET MVC (101) [\(/category/ASPNET-MVC\)](#)

[\(/category/feed/ASPNET-Web-API\)](#) ASP.NET Web API (9) [\(/category/ASPNET-Web-API\)](#)

[\(/category/feed/Azure-DevOps\)](#) Azure DevOps (8) [\(/category/Azure-DevOps\)](#)

- [\(/category/feed/C\) C# \(118\) \(/category/C\)](#)
- [\(/category/feed/Cloud-Computing\) Cloud Computing \(3\) \(/category/Cloud-Computing\)](#)
- [\(/category/feed/CSS\) CSS \(29\) \(/category/CSS\)](#)
- [\(/category/feed/DevOps\) DevOps \(5\) \(/category/DevOps\)](#)
- [\(/category/feed/Docker\) Docker \(18\) \(/category/Docker\)](#)
- [\(/category/feed/Entity-Framework\) Entity Framework \(20\) \(/category/Entity-Framework\)](#)
- [\(/category/feed/Git\) Git \(24\) \(/category/Git\)](#)
- [\(/category/feed/Golang\) Golang \(1\) \(/category/Golang\)](#)
- [\(/category/feed/HTML5\) HTML5 \(8\) \(/category/HTML5\)](#)
- [\(/category/feed/IIS\) IIS \(102\) \(/category/IIS\)](#)
- [\(/category/feed/JavaScript\) JavaScript \(106\) \(/category/JavaScript\)](#)
- [\(/category/feed/Jenkins\) Jenkins \(4\) \(/category/Jenkins\)](#)
- [\(/category/feed/Kubernetes\) Kubernetes \(3\) \(/category/Kubernetes\)](#)
- [\(/category/feed/LINQ\) LINQ \(36\) \(/category/LINQ\)](#)
- [\(/category/feed/Linux\) Linux \(91\) \(/category/Linux\)](#)
- [\(/category/feed/Microsoft-Azure\) Microsoft Azure \(15\) \(/category/Microsoft-Azure\)](#)
- [\(/category/feed/MySQL\) MySQL \(15\) \(/category/MySQL\)](#)
- [\(/category/feed/Office\) Office \(49\) \(/category/Office\)](#)
- [\(/category/feed/Office-365\) Office 365 \(23\) \(/category/Office-365\)](#)
- [\(/category/feed/Oracle\) Oracle \(10\) \(/category/Oracle\)](#)
- [\(/category/feed/PHP\) PHP \(25\) \(/category/PHP\)](#)
- [\(/category/feed/Scrum\) Scrum \(1\) \(/category/Scrum\)](#)
- [\(/category/feed/Security\) Security \(55\) \(/category/Security\)](#)
- [\(/category/feed/SQL-Server\) SQL Server \(121\) \(/category/SQL-Server\)](#)
- [\(/category/feed/Subversion\) Subversion \(35\) \(/category/Subversion\)](#)
- [\(/category/feed/System-Center\) System Center \(2\) \(/category/System-Center\)](#)
- [\(/category/feed/TFS\) TFS \(6\) \(/category/TFS\)](#)
- [\(/category/feed/TFS2010\) TFS2010 \(10\) \(/category/TFS2010\)](#)
- [\(/category/feed/Tips\) Tips \(183\) \(/category/Tips\)](#)
- [\(/category/feed/Unit-Testing\) Unit Testing \(9\) \(/category/Unit-Testing\)](#)
- [\(/category/feed/Usability\) Usability \(1\) \(/category/Usability\)](#)
- [\(/category/feed/VBA\) VBA \(5\) \(/category/VBA\)](#)
- [\(/category/feed/Visual-Basic\) Visual Basic \(5\) \(/category/Visual-Basic\)](#)
- [\(/category/feed/Visual-Studio\) Visual Studio \(120\) \(/category/Visual-Studio\)](#)
- [\(/category/feed/Visual-Studio-11\) Visual Studio 11 \(2\) \(/category/Visual-Studio-11\)](#)
- [\(/category/feed/Visual-Studio-2012\) Visual Studio 2012 \(10\) \(/category/Visual-Studio-2012\)](#)
- [\(/category/feed/Visual-Studio-2013\) Visual Studio 2013 \(4\) \(/category/Visual-Studio-2013\)](#)
- [\(/category/feed/VS2010-Tips\) VS2010 Tips \(23\) \(/category/VS2010-Tips\)](#)

- [\(/category/feed/Web\) Web \(166\) \(/category/Web\)](#)
- [\(/category/feed/WebMatrix\) WebMatrix \(8\) \(/category/WebMatrix\)](#)
- [\(/category/feed/Windows\) Windows \(19\) \(/category/Windows\)](#)
- [\(/category/feed/Windows-8\) Windows 8 \(14\) \(/category/Windows-8\)](#)
- [\(/category/feed/Windows-Azure\) Windows Azure \(18\) \(/category/Windows-Azure\)](#)
- [\(/category/feed/Windows-Phone-7\) Windows Phone 7 \(14\) \(/category/Windows-Phone-7\)](#)
- [\(/category/feed/介紹好用工具\) 介紹好用工具 \(210\) \(/category/介紹好用工具\)](#)
- [\(/category/feed/心得分享\) 心得分享 \(84\) \(/category/心得分享\)](#)
- [\(/category/feed/多奇快訊\) 多奇快訊 \(7\) \(/category/多奇快訊\)](#)
- [\(/category/feed/系統管理\) 系統管理 \(322\) \(/category/系統管理\)](#)
- [\(/category/feed/前端工程研究\) 前端工程研究 \(17\) \(/category/前端工程研究\)](#)
- [\(/category/feed/專案管理\) 專案管理 \(8\) \(/category/專案管理\)](#)
- [\(/category/feed/團隊合作\) 團隊合作 \(9\) \(/category/團隊合作\)](#)
- [\(/category/feed/網路管理\) 網路管理 \(12\) \(/category/網路管理\)](#)

專業證照




Web Developer 4



.NET Framework 4,
Web Applications

立即選購

 (<https://blog.darkthread.net/feed/rss>) 黑暗執行緒 (<https://blog.darkthread.net/>)

【茶包射手日記】IIS 整合式登入 MSSQL 之 AppPool 身分疑雲
(<https://blog.darkthread.net/blog/appool-login-mssql-fail-msg/>)

野外求生系列 - PowerShell 壓縮 ZIP 檔
(<https://blog.darkthread.net/blog/zip-with-ps/>)

老 ASP.NET Core 程式的 IIS InProcess 模式設定問題
(<https://blog.darkthread.net/blog/old-aspnet-core-inprocess-issue/>)

本網站對於任何使用或引用本網站網頁資料引致之損失或損害，概不負責。本網站亦有權隨時刪除、暫停或編輯本網站所登載之各項資料，以維護本網站之權益。除法律有強制規定外，在任何情況下，本網站對於 (1) 使用或無法使用本網站之各項服務；(2) 經由本網站取得訊息或進行交易；(3) 第三人在本網站上之陳述或作為；以及 (4) 其他與本網站服務有關之事項所發生之任何直接、間接、附帶、特別、懲罰性或衍生性損害，一概不負賠償責任。



(/post.aspx?id=92fd882f-

78b7-4791-94f7-df5742d41220)



 (<http://feeds.hanselman.com/ScottHanselman>)
Scott Hanselman

(<https://www.hanselman.com/blog/>)
Ryujinx is an Experimental Nintendo Switch Em...
(<http://feeds.hanselman.com/~/646490658/0/scotthanselman~Ryujinx-is-an-Experimental-Nintendo-Switch-Emulator-written-in-C-for-NET-Core>)

Try time-boxed panics
(<http://feeds.hanselman.com/~/646487238/0/scotthanselman~Try-timeboxed-panics>)

Penny Pinching in the Cloud: Azure Static Web...
(<http://feeds.hanselman.com/~/646135804/0/scotthanselman~Penny-Pinching-in-the-Cloud-Azure-Static-Web-Apps-are-saving-me-money>)

Download OPML file  (/opml.axd)