

# C# Coding Conventions (C# Programming Guide)

2015/07/20 •  +4

## 本文內容

[命名規範](#)

[版面配置慣例](#)

[註解慣例](#)

[語言指導方針](#)

[安全性](#)

[另請參閱](#)


Coding conventions serve the following purposes:

- They create a consistent look to the code, so that readers can focus on content, not layout.
- They enable readers to understand the code more quickly by making assumptions based on previous experience.
- They facilitate copying, changing, and maintaining the code.
- They demonstrate C# best practices.

The guidelines in this article are used by Microsoft to develop samples and documentation.

## Naming Conventions

- In short examples that do not include [using directives](#), use namespace qualifications. If you know that a namespace is imported by default in a project, you do not have to fully qualify the names from that namespace. Qualified names can be broken after a dot (.) if they are too long for a single line, as shown in the following example.

C#	 複製
<pre>var currentPerformanceCounterCategory = new System.Diagnostics. PerformanceCounterCategory();</pre>	

- You do not have to change the names of objects that were created by using the Visual Studio designer tools to make them fit other guidelines.

## Layout Conventions

Good layout uses formatting to emphasize the structure of your code and to make the code easier to read. Microsoft examples and samples conform to the following conventions:

- Use the default Code Editor settings (smart indenting, four-character indents, tabs saved as spaces). For more information, see [Options, Text Editor, C#, Formatting](#).
- Write only one statement per line.
- Write only one declaration per line.
- If continuation lines are not indented automatically, indent them one tab stop (four spaces).
- Add at least one blank line between method definitions and property definitions.
- Use parentheses to make clauses in an expression apparent, as shown in the following code.

```
C# 複製  
  
if ((val1 > val2) && (val1 > val3))  
{  
    // Take appropriate action.  
}
```

## Commenting Conventions

- Place the comment on a separate line, not at the end of a line of code.
- Begin comment text with an uppercase letter.
- End comment text with a period.
- Insert one space between the comment delimiter (//) and the comment text, as shown in the following example.

```
...
```





C#

 複製

```
foreach (var ch in laugh)
{
    if (ch == 'h')
        Console.Write("H");
    else
        Console.Write(ch);
}
Console.WriteLine();
```

### ⓘ 注意

Be careful not to accidentally change a type of an element of the iterable collection. For example, it is easy to switch from [System.Linq.IQueryable](#) to [System.Collections.IEnumerable](#) in a `foreach` statement, which changes the execution of a query.


## Unsigned Data Type

In general, use `int` rather than unsigned types. The use of `int` is common throughout C#, and it is easier to interact with other libraries when you use `int`.

## Arrays

Use the concise syntax when you initialize arrays on the declaration line.

C#

 複製

```
// Preferred syntax. Note that you cannot use var here instead of string[].
string[] vowels1 = { "a", "e", "i", "o", "u" };


// If you use explicit instantiation, you can use var.
var vowels2 = new string[] { "a", "e", "i", "o", "u" };

// If you specify an array size, you must initialize the elements one at a
time.
var vowels3 = new string[5];
vowels3[0] = "a";
vowels3[1] = "e";
// And so on.
```

## Delegates

Use the concise syntax to create instances of a delegate type.

C#



```
// First, in class Program, define the delegate type and a method that
// has a matching signature.

// Define the type.
public delegate void Del(string message);

// Define a method that has a matching signature.
public static void DelMethod(string str)
{
    Console.WriteLine("DelMethod argument: {0}", str);
}
```

C#



```
// In the Main method, create an instance of Del.


// Preferred: Create an instance of Del by using condensed syntax.
Del exampleDel2 = DelMethod;

// The following declaration uses the full syntax.
Del exampleDel1 = new Del(DelMethod);
```

## try-catch and using Statements in Exception Handling

- Use a [try-catch](#) statement for most exception handling.

C#



```
static string GetValueFromArray(string[] array, int index)
{
    try
    {
        return array[index];
    }
    catch (System.IndexOutOfRangeException ex)
    {
        Console.WriteLine("Index is out of range: {0}", index);
        throw;
    }
}
```

- Simplify your code by using the C# [using statement](#). If you have a [try-finally](#) statement in which the only code in the `finally` block is a call to the [Dispose](#) method, use a `using` statement instead.

```
C# 複製  
  
// This try-finally statement only calls Dispose in the finally block.  
Font font1 = new Font("Arial", 10.0f);  
try  
{  
    byte charset = font1.GdiCharSet;  
}  
finally  
{  
    if (font1 != null)  
    {  
        ((IDisposable)font1).Dispose();  
    }  
}  
  
// You can do the same thing with a using statement.  
using (Font font2 = new Font("Arial", 10.0f))  
{  
    byte charset = font2.GdiCharSet;  
}
```

## && and || Operators

To avoid exceptions and increase performance by skipping unnecessary comparisons, use [&&](#) instead of [&](#) and [||](#) instead of [|](#) when you perform comparisons, as shown in the following example.


```
C# 複製  
  
Console.WriteLine("Enter a dividend: ");  
var dividend = Convert.ToInt32(Console.ReadLine());  
  
Console.WriteLine("Enter a divisor: ");  
var divisor = Convert.ToInt32(Console.ReadLine());  
  
// If the divisor is 0, the second clause in the following condition  
// causes a run-time error. The && operator short circuits when the  
// first expression is false. That is, it does not evaluate the  
// second expression. The & operator evaluates both, and causes  
// a run-time error when divisor is 0.  
if ((divisor != 0) && (dividend / divisor > 0))  
{  
    Console.WriteLine("Quotient: {0}", dividend / divisor);  
}
```

```
    Console.WriteLine( quotient, quotient, dividend / divisor );
}
else
{
    Console.WriteLine("Attempted division by 0 ends up here.");
}
```

## New Operator

- Use the concise form of object instantiation, with implicit typing, as shown in the following declaration.


C#



```
var instance1 = new ExampleClass();
```

The previous line is equivalent to the following declaration.


C#



```
ExampleClass instance2 = new ExampleClass();
```

- Use object initializers to simplify object creation.

C#




```
// Object initializer.
var instance3 = new ExampleClass { Name = "Desktop", ID = 37414,
    Location = "Redmond", Age = 2.3 };

// Default constructor and assignment statements.
var instance4 = new ExampleClass();
instance4.Name = "Desktop";
instance4.ID = 37414;
instance4.Location = "Redmond";
instance4.Age = 2.3;
```

## Event Handling

If you are defining an event handler that you do not need to remove later, use a lambda expression.


C#





```
public Form2()
{
    // You can use a lambda expression to define an event handler.
    this.Click += (s, e) =>
    {
        MessageBox.Show(
            ((MouseEventArgs)e).Location.ToString());
    };
}
```

C#



```
// Using a lambda expression shortens the following traditional definition.
public Form1()
{
    this.Click += new EventHandler(Form1_Click);
}

void Form1_Click(object sender, EventArgs e)
{
    MessageBox.Show(((MouseEventArgs)e).Location.ToString());
}
```

## Static Members

Call [static](#) members by using the class name: *ClassName.StaticMember*. This practice makes code more readable by making static access clear. Do not qualify a static member defined in a base class with the name of a derived class. While that code compiles, the code readability is misleading, and the code may break in the future if you add a static member with the same name to the derived class.

## LINQ Queries


- Use meaningful names for query variables. The following example uses `seattleCustomers` for customers who are located in Seattle.

C#




```
var seattleCustomers = from customer in customers
                       where customer.City == "Seattle"
                       select customer.Name;
```


- Use aliases to make sure that property names of anonymous types are correctly capitalized, using Pascal casing.

C#	
<pre>var localDistributors =     from customer in customers     join distributor in distributors on customer.City equals distributor.City     select new { Customer = customer, Distributor = distributor };</pre>	


- Rename properties when the property names in the result would be ambiguous. For example, if your query returns a customer name and a distributor ID, instead of leaving them as `Name` and `ID` in the result, rename them to clarify that `Name` is the name of a customer, and `ID` is the ID of a distributor.

C#	
<pre>var localDistributors2 =     from customer in customers     join distributor in distributors on customer.City equals distributor.City     select new { CustomerName = customer.Name, DistributorID = distributor.ID };</pre>	

- Use implicit typing in the declaration of query variables and range variables.


C#	
<pre>var seattleCustomers = from customer in customers                         where customer.City == "Seattle"                         select customer.Name;</pre>	

- Align query clauses under the [from](#) clause, as shown in the previous examples.
- Use [where](#) clauses before other query clauses to ensure that later query clauses operate on the reduced, filtered set of data.

C#	
<pre>var seattleCustomers2 = from customer in customers                         where customer.City == "Seattle"                         orderby customer.Name                         select customer;</pre>	

- Use multiple `from` clauses instead of a [join](#) clause to access inner collections. For example, a collection of `student` objects might each contain a collection of test scores. When the following query is executed, it returns each score that is over 90, along with the last name of the student who received the score.

C#

 複製

```
// Use a compound from to access the inner sequence within each element.  
var scoreQuery = from student in students  
                 from score in student.Scores  
                 where score > 90  
                 select new { Last = student.LastName, score };
```

## Security

Follow the guidelines in [Secure Coding Guidelines](#).

## See also

- [Visual Basic Coding Conventions](#)
- [Secure Coding Guidelines](#)

---

此頁面有所助益嗎？

 Yes  No

---